



Introduction



The Swift Caravans 2001 range is the result of more than three decades of quality and innovation which has earned Swift the distinction of being revered as the thoroughbred of the touring caravan world.

Swift designers and craftsmen constantly explore new channels to upgrade existing models and develop exciting new layouts, resulting in a 27 strong fleet of tourers including the stunning new Charisma range.

The Corniche, Conqueror, Challenger and Charisma ranges all display the loving care and attention to detail that makes Swift the setter of standards, and a winner of countless awards over the years.

Quality with style has been Swift's motto for many years. Investment in advanced computer technology ensures that all models are produced to the same uncompromising quality, whilst Computer Aided Design techniques allow the designers to consider every possible improvement option before a prototype is even built.

Such technology automatically checks safety and stability variances at blue print stage. Even so, Swift engineers conduct over 200 stringent manual tests in their drive for perfection. This commitment ensure all models comply with the latest European Legislation and has earned Swift the prestigious ISO 9001 certificate for the standard of quality systems operated by the company.

A massive investment in the latest manufacturing technology has enabled Swift to produce engineering standards of accuracy in furniture construction. This unique system gives dual benefits of the finest quality finish and totally rigid construction.

Total customer satisfaction is top priority at Swift, and the quality ethos extends to the Supercare aftersales service and SuperSure manufacturer's 3 year warranty that come with every new Swift tourer. Everything is provided to ensure you have a relaxing holiday, The Swift Way.



Corniche



Conqueror



Challenger



Charisma

Corniche



Corniche 17/3

The Corniche is a tourer for the discerning. It has an individual streamlined signature created through the skilled use of GRP and a level of interior refinement which takes you into a new dimension of touring. Korsika apple colour furniture and Belgium cotton print fabric gives interior warmth, while Italian designer furniture by Tecnoform with satin steel handles sets a new style.



Corniche 15/2



Corniche 15/2

Soft lighting from downlighters illuminates the slot in Stoves oven with matching recessed enamelled steel sink, 86 litre Electrolux fridge and luxury vanity equipment with handcrafted cabinets. Every detail shows careful consideration to design and functionality.



Above and below: Corniche 17/3



Corniche 17/3



Conqueror



Conqueror 630

The twin-axle Conqueror has become synonymous with impressive style and high standards. New heavy duty corner steadies, improved wardrobe layout, centre dinette curtain storage and a new 86 litre Electrolux power fridge are just some of the new features that raise the standards for 2001. A new 650 model joins the range.



Conqueror 630



Conqueror: 630

Italian designer Korsika apple colour furniture by Tecnoform with new chenille fabric lends warmth to the spacious interiors. New dual heating by Truma, flush fitting sink and slot in Stoves oven give a taste of the overall high level of specification.



Above: Conqueror 640
Below: Conqueror 580



Conqueror 580 SAL



The new 650 LUX offers spacious seating with a large front lounge and rear parallel seating with single dinette. A large centre kitchen, wardrobe with full width hanging space and fully fitted washroom and shower cater for all the family.



Above and below: Conqueror 650



Conqueror 650



Challenger



Challenger 520

The Challenger is the award winning, firm favourite with the committed caravanner. Two new models will tempt couples and families. The 460 offers a vast L-shape front lounge and the large SB washroom while the new 550 offers a front and rear lounge with space for a separate shower and washroom.



Challenger 520



Challenger 520


All models offer the perfect blend of style, with Italian designer furniture by Tecnoform in Korsika apple and sculptured upholstery in luxurious chenille fabric. A high level of specification includes new Truma heating and hot water system, improved wardrobe space, flush fitting kitchen with slot in Stoves oven, recessed sink and new 77 litre Electrolux power fridge.



Above: Challenger 480
Below: Challenger 550



Challenger 500



Challenger 500 rear GRP panel



Charisma



Charisma 560

All new for 2001, the Charisma attracts your attention with its stylish new body shell incorporating curving lights and panels, a high level brake light and exclusive wheel trims. Increased width and height create a spacious, light interior with Italian furniture styling by Tecnoform in Korsica apple, luxury chenille fabric and a large panoramic roof light.



Charisma 550



Charisma 560

A diverse range of layouts are featured within the 7 models including a fixed bed option with wrap round front seating. The impressive specification includes a flush fitting kitchen with slot in Stoves oven, Truma heating and hot water system and beech sprung bed slats with cantilever hinged action for easy access. The Charisma - outstanding value for money that is designed to appeal.



Above: Charisma 230
Below: Charisma 220



Charisma 560



▼ Challenger 480



▼ Conqueror 650



▲ Charisma 545

Washroom options

▼ Corniche 17/3



NT Washroom

Available on the following models:

Challenger 520
Corniche 15/2E NT
Corniche 17/3 NT



SB Washroom

Available on the following models:

Charisma 230	Corniche 15/2E SB
Charisma 235	Corniche 17/3 SB
Charisma 560	Conqueror 580 SB
Challenger 480	SAL/LUX
Challenger 530	



Centre Layout Washroom

Available on the following models:

Charisma 540	Conqueror 640
Charisma 545	SAL/LUX
Challenger 490	Conqueror 650 LUX
Challenger 490L	



End Corner Washroom

Available on the following models:

Charisma 220
Challenger 400



Centre Luxury Washroom

Available on the following models:


Conqueror 610 LUX
Challenger 550



End Luxury Washroom

Available on the following model:

Conqueror 630 LUX



▲ Charisma 560

Corniche features



EXTERIOR

New for 2001

- Revised graphics
- External aerial socket in battery box
- Heavy duty corner steadies

- External wet locker with integrated mains socket
- Heki 2 rooflight with flyscreen and blind
- Exterior quick release door retainer
- Wheel trims in chrome
- 'A' frame cover light
- All models comply with European Standards
- Al-Ko galvanised steel chassis with Euro-Axle
- GRP front and rear panel with high level brake light
- Exterior door with window and window blind
- Exterior access battery box (excluding battery)
- External barbecue point



- Easy access gas bottle storage with gas strut support
- Awning light
- Light clusters incorporating stop/tail, indicator and reverse lights

- Side direction repeater lights
- TV aerial and amplifier
- 14" wheels and tyres
- Electrolux fridge vents for ease of maintenance

LOUNGE/DINING AREA

New for 2001

- Improved wardrobe layout in SB models only
- Individually designed fabrics for 2 and 3 berth models continue
- Lift up easy access beech sprung bed slats
- Co-ordinated curtains and pelmets to the designer upholstery
- Furniture with 'Korsica Apple' furniture board and Italian designer ash furniture doors
- Welsh dresser incorporating cocktail cabinet



- with tinted doors, CD player and storage
- Down lighters over welsh dresser
- Curved drawer unit with occasional table

- Free standing ash edged table with dedicated storage location
- Domestic quality interior sprung bedding and back rests
- Removable bound edged carpet over easy clean vinyl cushion floor

KITCHEN

New for 2001

- 86 litre Electrolux power fridge
- Improved concealed microswitch Reich tap within kitchen sink unit
- Green recessed enamelled steel sink and drainer incorporating flush fitting glass hinged worktop
- Pull out sink unit basket storage
- Pull out work top extension/chopping board
- Latest generation domestic slot in Stoves oven with flush fitting top, 4 burner hob, oven, grill, pan storage and flame failure device
- Safety hob lid with gas cut out feature

WASHROOM

- One piece sealed shower cubicle in luxury NT washrooms with built in wall mirrors and integral storage
- SB washroom with corner vanity cabinet, additional storage and down lighters
- Electric flush Thetford cassette toilet with header tank

HEATING & PLUMBING

New for 2001

- Truma 3002 3kw space heater with Ultraheat ducted blown air system
- Truma Ultrastore water heater
- Under slung water tank - 9 gallons, fully insulated with integral water level sensor
- Waste water tank
- Microswitched water system with domestic style mono block single action taps
- Inboard rigid piped microswitched water system
- Large bore underslung rigid waste water system

ELECTRICAL

New for 2001

- Key fob operation to 12v isolation and entry light
- Electrical control panel over exterior door featuring 12v isolation, interior entry switch, alarm, battery and water level indicators
- Dimmer switch to mains lights
- Modern mains reading lights
- Silver sand circular ceiling lights
- Philips radio/CD player

- 12 amp switch mode charger/transformer
- Halogen interior lights
- Mains electrics with four 230v sockets (one exterior)



- TV station with 230v/12v and aerial connections
- 230v and 12v reading lights
- 25m electric hook up cable

FITTINGS & EQUIPMENT

- Locker construction for rigidity and strength
- Ash framed Tecnoform Italian locker doors with raised profile centre panel
- Co-ordinated satin steel locker handles
- Curved worktops in matching woodgrain or slate effect laminate
- Caravan entrance step
- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Cassette flyscreen to exterior doorway
- Multi-directional roof lights and sliding blind and flyscreen
- Pull out roller slatted beds
- Ventilation boards to back rests
- Quartz clock
- Concealed metal wall plates and timbers for secure furniture fixing
- Spare wheel and tyre
- Side operated jack
- External barbecue point
- Door mat with brush out facility
- Omnivent two way 3 speed fan
- Removable garment rail in shower compartment
- Smoke alarm



SECURITY

- Polyplastic windows with concealed locks and stays
- Concealed security data chip within caravan construction
- Passive infra-red security alarm
- Single key high security locks
- Identity number etched to windows and stamped on chassis
- Lockable corner steadies (locks not supplied)



Conqueror features



New 650 model

EXTERIOR

New for 2001

- Updated graphics
- Heavy duty corner steadies
- Silver wheel trims

- External aerial socket in battery box
- Wet locker incorporating 13 amp socket
- Exterior quick release door retainer
- Two piece side panels for smoother lines
- All models comply with European Standards
- Aerodynamically efficient styled GRP front panel and back panel incorporating a high level spoiler with brake light and Caraluna light clusters with stop, tail, side, fog and reversing lights
- Upgraded Al-Ko galvanised steel chassis with Euro-Axle
- Heki 2 roof light with flyscreen blind
- Exterior door with window and window blind
- Exterior access battery box (excluding battery)



- Easy access gas bottle storage with gas strut to door
- External gas barbecue point
- Electrolux fridge vents for ease of maintenance

- Awning light
- Side direction indicator repeater lights
- TV aerial and amplifier system
- Fixing points for rear mounted cycle rack

LOUNGE/DINING AREA

New for 2001

- All models now with popular chenille fabric
- Velvet curtains to match
- New improved wardrobe layout in 630
- Improved centre dinette curtain storage (580)
- Seating in 580 side dinette designed for comfort and legroom
- 'Korsica Apple' style furniture board with Italian designer ash furniture doors
- Lift up easy access beech sprung bed slats
- Freestanding ash edged table with dedicated storage area
- Drawer unit with occasional table (not available in Salon models)



- Fitted cocktail cabinet
- Domestic quality interior sprung bedding and backrests

- New optional 6 berth layout in 650
- Overhead lockers above front windows

KITCHEN

New for 2001

- 86 Litre Electrolux power fridge
- Improved concealed microswitch Reich tap within kitchen sink unit
- Burgundy kitchen equipment
- Recessed enamelled steel sink and drainer incorporating flush fitting glass hinged worktop
- Latest generation domestic slot in Stoves oven with flush fitting top, 4 burner hob, oven, grill, pan storage and flame failure device
- Safety hob lid with gas cut out feature
- Champagne kitchen colour option
- Ergonomically designed large kitchen unit

WASHROOM

- SB washroom with corner cabinet, storage and down lighters in 580
- Improved centre washroom
- Electric flush Thetford cassette toilet with header tank
- Luxury washrooms with built in wall mirrors, matching shower and vanity unit and integral storage (layout varies dependent on model)
- Airing cupboard in 630

HEATING & PLUMBING

New for 2001

- Truma 3002 3kw space heater with Ultraheat ducted blown air system
- Truma Ultrastore water heater
- New under slung water tank - 9 gallons, fully integrated with integral water level sensor
- Waste water container provided
- Microswitch water system with single action taps colour co-ordinated to all locations
- Large bore underslung rigid waste water system
- Inboard rigid piped fresh water system

ELECTRICAL

- Electrical control panel over entrance door featuring 12v isolation, interior entry switch and alarm
- Mains electrics with four 230v sockets (one external)
- 25m mains hook up cable
- 230v and 12v reading lights
- TV station with 230v/12v/aerial connection (Two for 610, 640 and 650 models)
- 12amp switch mode charger/transformer

- Dedicated radio/CD/cassette location (radio/CD/cassette not supplied) pre-wired speakers for ease of installation
- Round halogen ceiling lights
- Omnivent 3 speed fan and skylight



FITTINGS & EQUIPMENT

- Improved curved feel to all furniture and mouldings
- Quality locker construction for rigidity and strength
- Tecnoform Italian designed aircraft style locker upper doors
- Co-ordinated curved locker handles
- Curved worktops in matching woodgrain or slate effect laminate
- Caravan entrance step
- Bunk ladder (where bunks supplied)
- Double glazing with night latch ventilation
- Full blinds and flyscreens to all opening windows
- Cassette flyscreen to exterior doorway
- Multi-directional roof vents with sliding blinds and flyscreen (to main compartment)
- Pull out roller slatted beds
- Ventilation boards to back rests
- Concealed metal wall plates and timbers for secure furniture fixing
- Quartz clock
- Spare wheel and tyre
- Jack system using scissor jack and dedicated mount
- Door mat with brush out facility
- Removable garment rail in NT and SB models
- Smoke alarm



SECURITY

- Passive infra-red security alarm
- Single key high security locks
- Identity numbers etched to windows and stamped on chassis
- Lockable rear corner steadies (lock not supplied)
- Polyplastic windows with concealed locks and stays with concealed fixing of hinge bar
- Concealed security data chip within caravan construction



Challenger features



**2 new models,
460 and 550**

Revised 400

EXTERIOR

New for 2001

- Stylish graphics

- 14" wheels
- Silver wheel trims
- External aerial socket in battery box
- All models comply with European Standards
- Wet locker incorporating 13 amp socket
- Heki 2 rooflight with flyscreen and blind
- Smooth style exterior body shape with two piece side panels
- Aerodynamically efficient styled GRP front panel and back panel incorporating a high level spoiler with brake light and Caraluna light clusters with stop, tail, side, fog and reversing lights
- Wheel arch fairings complement the bodyshe'll
- Al-Ko galvanised chassis with Euro-Axle
- Exterior quick release door retainer



- Exterior door with window and window blind
- Full exterior door cassette flyscreen
- Exterior access battery box (excluding battery)

- Electrolux fridge vents for easy maintenance and inspection
- Easy access gas bottle storage with gas strut supported door
- Heated external access locker (SB models only)
- Black screen printed windows
- All windows opening and double glazed
- Side direction indicator repeater lights
- Awning light
- Status TV aerial and amplifier system
- Fixing points for rear mounted cycle rack

LOUNGE/DINING AREA

New for 2001

- Dedicated L front in 460 model
- Dedicated storage for centre dinette curtain in 520/530 models
- Centre dinette designed for improved legroom and seating (520/530)



- New improved wardrobe layout in 500 featuring extra hanging space
- Furniture board in 'Korsica Apple'

- Lift up easy access beech sprung bed slats
- Luxury modern designer chenille fabric
- Velour co-ordinated curtains and pelmets
- Sculptured corner and armrest cushions
- Front beds 1920mm (6'3 1/2") in most models
- Freestanding ash edged table with dedicated storage area
- Drawer unit with occasional table (parallel front layout only)
- Fitted cocktail cabinet
- Domestic quality interior sprung upholstery including backrest
- Two scatter cushions
- Overhead front lockers for extra storage

KITCHEN

New for 2001

- 77 litre Electrolux power fridge
- Improved concealed microswitch Reich tap within kitchen sink unit
- Improved storage with pull out baskets
- Burgundy kitchen equipment
- Recessed burgundy enamelled steel sink and drainer incorporating flush fitting glass hinged worktop
- Pull out sink unit basket storage
- Latest generation domestic slot in Stoves oven in matching burgundy with flush fitting top, 4 burner hob, oven, grill, pan storage and flame failure device
- Safety hob lid with gas cut out feature
- Champagne kitchen colour option
- L shaped kitchen in 500 with swivel TV facility

WASHROOM

New for 2001

- New model 550 with separate walk-in shower facility
- One piece sealed shower cubicle in NT washrooms
- SB washroom with corner cabinet additional storage and down lighters
- Electric flush Thetford toilet with built in header tank
- Chrome effect Reich washroom taps
- Washrooms in 460, 480 and 530 models with attractive shower area with sliding circular shaped door
- Luxury washroom suite with built in wall mirrors and matching vanity unit with integral storage (490/490L and 400)

HEATING & PLUMBING

New for 2001

- Truma 3002 3kw space heater with Ultraheat ducted blown air system
- Truma Ultrastore water heater
- Meets grade 2 classification for thermal heating and insulation
- Microswitch plumbing system
- Inboard rigid piped fresh water system

- Large bore rigid waste pipes

ELECTRICAL

- Electrical control panel mounted over entrance door featuring 12v isolation and interior entry switch
- Mains electrics with three 230v sockets
- 12v socket
- 230v and 12v reading light
- Switchmode charger/transformer
- 25m mains hook up cable connection
- Sophisticated electrical control panel with ELCB
- Circular halogen centre ceiling lights



FITTINGS & EQUIPMENT

- Improved curved feel to all furniture and mouldings
- Locker construction for rigidity and strength
- Tecnoform Italian designed aircraft style locker upper doors
- Co-ordinated curved locker handles
- Curved worktops in matching woodgrain or slate effect laminate
- Bunk ladder (where bunks supplied)
- Caravan entrance step
- Double glazing with night latch ventilation and concealed fasteners
- Full window blinds and flyscreens to all opening windows
- Multi-directional roof lights with sliding blind and flyscreen to main compartment
- Ventilation boards to back rests (except mid-beds)
- Concealed metal wall plates and timber for secure furniture fixing
- Removable garment rail in NT and SB models
- Doormat and tray with brush out facility
- Quartz clock
- Deep hardwood edges to all work surfaces
- Smoke alarm



SECURITY

- Concealed security data chip within the caravan construction
- Single key high security locks
- Identity number etched to windows and stamped on chassis



Charisma features



New models for 2001
220, 230, 235, 540, 545, 550 and 560

EXTERIOR New for 2001

- All new body shell
- Overall width 2.16m/7'1"
- Overall Height 2.76m/9'1"
- New graphics
- Full GRP front panel
- Lower ABS back panel with Hella Caraluna light clusters including reversing/fog light
- High level brake light
- 14" wheels
- Exclusive wheel trims
- New wheel arch fairings
- Exterior access locker door
- 2 piece side panel construction
- All windows opening and double glazed
- Heki 2 rooflight with flyscreen and blind



- Exterior quick release door retainer
- All models comply with European Standards
- Lightweight Al-Ko galvanised steel chassis with Euro-Axle

- Exterior door with window and blind
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage area with gas strut support
- Awning light
- High level side marker lights
- TV aerial with amplifier
- Electrolux fridge vents for easy maintenance and inspection
- Fixing points for rear mounted cycle rack

LOUNGE/DINING AREA

New for 2001

- Chenille fabric with complementing carpet and curtains
- New furniture construction



- Tecnoform curved aircraft style locker doors
- Beech sprung bed slat construction with cantilever hinged action for easy access

- Dedicated curtain storage location in the 560 layout
- Fixed bed layout 550
- Deep ash edge to worktops
- Furniture board in 'Korsica Apple'
- Cocktail cabinet in off side front locker for ease of access
- Shaped backrests and corner cushions
- Drawer unit with occasional table on parallel layout
- Front beds 1920mm (6'3 1/2") except 550
- Superior quality domestic style sprung bedding including backrests (excluding side dinettes and bunks)
- Freestanding table with dedicated storage area
- Split front base cushions 60/40 for easy bed make up

KITCHEN

New for 2001

- Improved work surfaces in slate laminate
- Stoves one piece domestic style cooker with four hob rings and flush glass lid
- Automatic gas cut off to cooker lid
- Recessed sink in matching enamel with flush glass over top
- New concealed micro switch Reich tap
- Electrolux 77 litre fridge with full width freezer

WASHROOM

- Improved end washroom layout (230, 235, 560)
- Wall board in decorative Kempton stripe
- Washroom in SB layout with fully sealed circular shower cubicle
- Large window in centre washrooms
- Fully fitted vanity units with mixer tap
- Thetford cassette toilet
- Full width mirror over vanity unit

HEATING & PLUMBING

New for 2001

- Truma 3002 3kw space heater with Ultraheat ducted blown air system
- Truma Ultrastore water heater
- Meets grade 2 classification for thermal heating and insulation
- Microswitch plumbing system
- Inboard rigid piped water system
- Large bore underslung waste pipes

ELECTRICAL

New for 2001

- 12v distribution panel by exterior door

- Silver sand circular halogen ceiling lights
- Silver sand reading lights
- Adjustable 12v lighting to front lockers
- Fluorescent light under china locker
- Main reading lights with shades
- Full mains electrics with two 230v sockets
- TV station with 230v/12v and aerial connection
- 12v and 230v reading lights
- Vanity light and mirror to SB compartment shelves
- Switch mode charger/transformer with ELCB
- 25m mains hook up facility



FITTINGS & EQUIPMENT

New for 2001

- Chest option to new layout 550
- Beech sprung bed slats for centre dinette layout 560
- Revised wardrobe with increased hanging space
- Domestic style cabinet hinges
- Caravan entrance step
- Bunk ladder (where bunks provided)
- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Roof lights with night blinds and flyscreens (main compartment)
- Exterior door flyscreen
- Pull out roller slatted beds
- Fitted doormat
- Concealed metal wall plates and timber rails for secure furniture fixing
- Stylish cabinet door handles
- Wooden partition doors to rear bedroom models (excluding 550)
- Smoke alarm




SECURITY

- Concealed security data chip within caravan construction
- Identity number etched to window and chassis stamped
- High security single key operation



Corniche technical information

dimensions and weights



Model	15/2 NT
Berths	2
Internal Length (At bed box height)	4.70m/15'5"
Overall Width	2.16m/7'1"
Overall Height (Including TV aerial)	2.76m/9'1"
Overall Length	6.40m/21'0"
Mass in Running Order (Inc. 3% tolerance)	1155kg/22.7cwt
Essential Habitation Equipment Payload	115kg/2.3cwt
Personal Effects Payload	105kg/2.1cwt
Optional Equipment Payload	35kg/0.7cwt
Maximum Technical Permissible Laden Mass	1410kg/27.8cwt
Awning A/A Dimension	8.84m/29'0"
Tyre Size	175R14 99


bed sizes

Front Double†	201cm x 192cm/6'7" x 6'4"
or One Single	192cm x 66cm/6'4" x 2'2"
and One Single	192cm x 66cm/6'4" x 2'2"
Side Single (n/s)	
Side Bunk	

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins.

†Double bed size is quoted with wrap round seating.

*Denotes estimated weight.



15/2 SB

2

4.70m/15'5"

2.16m/7'1"

2.76m/9'1"

6.40m/21'0"

1155kg/22.7cwt

115kg/2.3cwt

105kg/2.1cwt

35kg/0.7cwt

1410kg/27.8cwt

8.84m/29'0"

175R14 99

201cm x 192cm/6'7" x 6'4"

192cm x 66cm/6'4" x 2'2"

192cm x 66cm/6'4" x 2'2"



17/3 NT

3 opt 4

5.36m/17'7"

2.16m/7'1"

2.76m/9'1"

7.06m/23'2"

1248kg/24.6cwt*

115kg/2.3cwt

131kg/2.6cwt

46kg/0.9cwt

1540kg/30.3cwt

9.50m/31'2"

175R14 99


201cm x 183cm/6'7" x 6'0"

183cm x 66cm/6'0" x 2'2"

190cm x 66cm/6'3" x 2'2"

180cm x 66cm/5'11" x 2'2"

172cm x 58cm/5'8" x 1'11"



17/3 SB

3 opt 4

5.36m/17'7"

2.16m/7'1"

2.76m/9'1"

7.06m/23'2"

1248kg/24.6cwt*

115kg/2.3cwt

131kg/2.6cwt

46kg/0.9cwt

1540kg/30.3cwt

9.50m/31'2"

175R14 99

201cm x 183cm/6'7" x 6'0"

183cm x 66cm/6'0" x 2'2"


190cm x 66cm/6'3" x 2'2"

180cm x 66cm/5'11" x 2'2"

172cm x 58cm/5'8" x 1'11"

Conqueror technical information

dimensions and weights



Model	580 LUX	580 SAL	610 LUX
Berths	4	4	5
Axles	2	2	2
Internal Length (At bed box height)	5.85m/19'2"	5.85m/19'2"	6.35m/20'10"
Overall Width	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (Including TV aerial)	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"
Overall Length	7.45m/24'5"	7.45m/24'5"	7.95m/26'1"
Mass in Running Order (Inc. 3% tolerance)	1320kg/26.0cwt	1320kg/26.0cwt	1435kg/28.3cwt
Essential Habitation Equipment Payload	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt
Personal Effects Payload	135kg/2.7cwt	135kg/2.7cwt	150kg/3.0cwt
Optional Equipment Payload	30kg/0.6cwt	30kg/0.6cwt	35kg/0.7cwt
Maximum Technical Permissible Laden Mass	1600kg/31.5cwt	1600kg/31.5cwt	1735kg/34.2cwt
Awning A/A Dimension	10.00m/32'10"	10.00m/32'10"	10.50m/34'5"
Tyre Size	155R13 78	155R13 78	165R13 83T





bed sizes

Front Double [†]	205cm x 192cm/6'9" x 6'4"	205cm x 137cm/6'9" x 4'6"	205cm x 192cm/6'9" x 6'4"
or One Single	192cm x 68cm/6'4" x 2'3"		192cm x 68cm/6'4" x 2'3"
and One Single	192cm x 68cm/6'4" x 2'3"		192cm x 68cm/6'4" x 2'3"
Rear Double			193cm x 137cm/6'4" x 4'6"
Rear Bunk			193cm x 58cm/6'4" x 1'11"
Side Single (o/s)	180cm x 68cm/5'11" x 2'3"	180cm x 68cm/5'11" x 2'3"	
Side Single (n/s)			
Side Bunk	172cm x 58cm/5'8" x 1'11"	172cm x 58cm/5'8" x 1'11"	
Optional Bunk			

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Estimated weight.

†Double bed size is quoted with wrap round seating.

*Denotes estimated weight.



630 LUX

4
2
6.35m/20'10"
2.23m/7'4"
2.75m/9'0"
7.95m/26'1"
1451kg/28.6cwt
115kg/2.3cwt
140kg/2.8cwt
34kg/0.7cwt
1740kg/34.3cwt
10.50m/34'5"
165R13 83T

205cm x 183cm/6'9" x 6'0"
183cm x 68cm/6'0" x 2'3"
192cm x 68cm/6'4" x 2'3"
190cm x 137cm/6'3" x 4'6"

640 LUX

5
2
6.35m/20'10"
2.23m/7'4"
2.75m/9'0"
7.95m/26'1"
1425kg/28.0cwt
123kg/2.4cwt
150kg/3.0cwt
32kg/0.6cwt
1730kg/34.1cwt
10.50m/34'5"
165R13 83T

205cm x 192cm/6'9" x 6'4"
192cm x 68cm/6'4" x 2'3"
192cm x 68cm/6'4" x 2'3"
205cm x 137cm/6'9" x 4'6"
205cm x 58cm/6'9" x 1'11"

640 SAL

5
2
6.35m/20'10"
2.23m/7'4"
2.75m/9'0"
7.95m/26'1"
1425kg/28.0cwt
123kg/2.4cwt
150kg/3.0cwt
32kg/0.6cwt
1730kg/34.1cwt
10.50m/34'5"
165R13 83T

205cm x 137cm/6'9" x 4'6"
205cm x 137cm/6'9" x 4'6"
205cm x 58cm/6'9" x 1'11"


650 LUX

5 opt 6
2
6.35m/20'10"
2.23m/7'4"
2.75m/9'0"
7.95m/26'1"
1415kg/27.9cwt*
123kg/2.4cwt
160kg/3.2cwt
37kg/0.7cwt
1735kg/34.2cwt
10.50m/34'5"
165R13 83T

205cm x 192cm/6'9" x 6'4"
192cm x 68cm/6'4" x 2'3"
192cm x 68cm/6'4" x 2'3"
205cm x 137cm/6'9" x 4'6"
177cm x 68cm/5'10" x 2'3"
177cm x 68cm/5'10" x 2'3"
172cm x 58cm/5'8" x 1'11"
172cm x 58cm/5'8" x 1'11"

Challenger technical information

dimensions and weights



Model	400	460	480	490L
Berths	2	2	2	5
Internal Length (At bed box height)	3.94m/12'11"	4.70m/15'5"	4.70m/15'5"	5.30m/17'5"
Overall Width	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"
Overall Height (Including TV aerial)	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"
Overall Length	5.52m/18'11"	6.29m/20'7"	6.29m/20'7"	6.89m/22'7"
Mass in Running Order (Inc. 3% tolerance)	956kg/18.8cwt*	1048kg/20.6cwt*	1048kg/20.6cwt	1175kg/23.1cwt
Essential Habitation Equipment Payload	90kg/1.8cwt	82kg/1.6cwt	82kg/1.6cwt	90kg/1.8cwt
Personal Effects Payload	96kg/1.9cwt	104kg/2.0cwt	104kg/2.0cwt	140kg/2.7cwt
Optional Equipment Payload	48kg/1.0cwt	46kg/0.9cwt	46kg/0.9cwt	50kg/1.0cwt
Maximum Technical Permissible Laden Mass	1190kg/23.4cwt	1280kg/25.2cwt	1280kg/25.2cwt	1455kg/28.6cwt
Awning A/A Dimension	8.17m/26'9"	8.93m/29'4"	8.93m/29'4"	9.53m/31'3"
Tyre Size	195/70R14 91	195/70R14 95	195/70R14 95	175R14 99






bed sizes

Front Double [†]	201cm x 183cm/6'7" x 6'0"	201cm x 137cm/6'7" x 4'6"	201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"
or One Single	183cm x 66cm/6'0" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"
and One Single	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"
Rear Double				188cm x 137cm/6'2" x 4'6"
Rear Bunk				188cm x 58cm/6'2" x 1'11"
Side Single				
Side Bunk				

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Estimated weight

†Double bed size is quoted with wrap round seating.

*Denotes estimated weight.



490

5

5.30m/17'5"

2.16m/7'1"

2.76m/9'1"

6.89m/22'7"

1180kg/23.2cwt

90kg/1.8cwt

140kg/2.7cwt

50kg/1.0cwt

1460kg/28.7cwt

9.53m/31'3"

175R14 99

500

4

5.09m/16'8"

2.23m/7'4"

2.76m/9'1"

6.67m/21'11"

1120kg/22.1cwt

82kg/1.6cwt

128kg/2.5cwt

20kg/0.4cwt

1350kg/26.6cwt

9.32m/30'7"

195/70R14 95

520

4

5.23m/17'2"

2.16m/7'1"

2.76m/9'1"

6.81m/22'4"

1158kg/22.8cwt

82kg/1.6cwt

129kg/2.5cwt

50kg/1.0cwt

1420kg/27.9cwt

9.46m/31'0"

175R14 99

530

4

5.23m/17'2"

2.16m/7'1"

2.76m/9'1"

6.81m/22'4"

1158kg/22.8cwt

82kg/1.6cwt

129kg/2.5cwt

50kg/1.0cwt

1420kg/27.9cwt

9.46m/31'0"

175R14 99

550

5

5.53m/18'2"

2.23m/7'4"

2.76m/9'1"

7.12m/23'4"

1207kg/23.8cwt*

90kg/1.8cwt

152kg/3.0cwt

51kg/1.0cwt

1500kg/29.5cwt

9.76m/32'0"

175R14 99

201cm x 192cm/6'7" x 6'4"

192cm x 66cm/6'4" x 2'2"

192cm x 66cm/6'4" x 2'2"

201cm x 137cm/6'7" x 4'6"

201cm x 58cm/6'7" x 1'11"

205cm x 154cm/6'9" x 5'1"

190cm x 137cm/6'3" x 4'6"

201cm x 183cm/6'7" x 6'0"

183cm x 66cm/6'0" x 2'2"

192cm x 66cm/6'4" x 2'2"

180cm x 66cm/5'11" x 2'2"

172cm x 58cm/5'8" x 1'11"

201cm x 183cm/6'7" x 6'0"

183cm x 66cm/6'0" x 2'2"

192cm x 66cm/6'4" x 2'2"

180cm x 66cm/5'11" x 2'2"

172cm x 58cm/5'8" x 1'11"


205cm x 158cm/6'9" x 5'2"

193cm x 137cm/6'4" x 4'6"

193cm x 58cm/6'4" x 1'11"

Charisma technical information

dimensions and weights



Model	220	230	235
Berths	2	2	2
Internal Length (At bed box height)	3.94m/12'11"	4.61m/15'2"	4.70m/15'5"
Overall Width	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"
Overall Height (Including TV aerial)	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"
Overall Length	5.53m/18'2"	6.21m/20'4"	6.30m/20'8"
Mass in Running Order (Inc. 3% tolerance)	907kg/17.9cwt	983kg/19.3cwt	982kg/19.3cwt*
Essential Habitation Equipment Payload	90kg/1.8cwt	82kg/1.6cwt	82kg/1.6cwt
Personal Effects Payload	96kg/1.9cwt	103kg/2.0cwt	104kg/2.0cwt
Optional Equipment Payload	22kg/0.4cwt	47kg/0.9cwt	47kg/0.9cwt
Maximum Technical Permissible Laden Mass	1115kg/21.9cwt	1215kg/23.9cwt	1215kg/23.9cwt
Awning A/A Dimension	8.17m/26'9"	8.84m/29'0"	8.93m/29'4"
Tyre Size	195/70R14 91	195/70R14 91	195/70R14 91





bed sizes

Front Double†	204cm x 192cm/6'8" x 6'4"	204cm x 183cm/6'8" x 6'0"	204cm x 137cm/6'8" x 4'6"
or One Single	192cm x 69cm/6'4" x 2'3"	192cm x 69cm/6'4" x 2'3"	192cm x 69cm/6'4" x 2'3"
and One Single	192cm x 69cm/6'4" x 2'3"	183cm x 69cm/6'0" x 2'3"	192cm x 69cm/6'4" x 2'3"
Rear Double			
Rear Bunk			
Side Single			
Side Bunk			

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins.

†Double bed size is quoted with wrap round seating.

*Denotes estimated weight.



540

5
5.03m/16'6"
2.16m/7'1"
2.76m/9'1"
6.62m/21'9"
1065kg/21.0cwt*
90kg/1.8cwt
137kg/2.7cwt
48kg/0.9cwt
1340kg/26.4cwt
9.26m/30'4"
195/70R14 95

204cm x 192cm/6'8" x 6'4"
192cm x 69cm/6'4" x 2'3"
192cm x 69cm/6'4" x 2'3"
201cm x 119cm/6'7" x 3'11"
201cm x 56cm/6'7" x 1'10"

545

5
5.03m/16'6"
2.16m/7'1"
2.76m/9'1"
6.62m/21'9"
1064kg/20.9cwt*
90kg/1.8cwt
137kg/2.7cwt
49kg/1.0cwt
1340kg/26.4cwt
9.26m/30'4"
195/70R14 95

204cm x 192cm/6'8" x 6'4"
192cm x 69cm/6'4" x 2'3"
192cm x 69cm/6'4" x 2'3"
201cm x 119cm/6'7" x 3'11"
201cm x 56cm/6'7" x 1'10"

550

4
5.09m/16'8"
2.23m/7'4"
2.76m/9'1"
6.68m/21'11"
1074kg/21.1cwt*
82kg/1.6cwt
128kg/2.5cwt
51kg/1.0cwt
1335kg/26.3cwt
9.32m/30'7"
195/70R14 95

208cm x 154cm/6'10" x 5'1"
190cm x 137cm/6'3" x 4'6"

560

4
5.23m/17'2"
2.16m/7'1"
2.76m/9'1"
6.83m/22'5"
1101kg/21.7cwt
82kg/1.6cwt
129kg/2.5cwt
48kg/0.9cwt
1360kg/26.8cwt
9.46m/31'0"
175R14 99

204cm x 183cm/6'8" x 6'0"
192cm x 69cm/6'4" x 2'3"
183cm x 69cm/6'0" x 2'3"
180cm x 66cm/5'11" x 2'2"
172cm x 58cm/5'8" x 1'11"

Your Local Dealer



Quality with Style



SWIFT CARAVANS, DUNSWELL ROAD, COTTINGHAM, EAST YORKSHIRE HU16 4JX.

TEL: 01482 847332 FAX: 01482 841042

e-mail: enquiry@swiftleisure.co.uk web site: www.swiftcaravans.co.uk

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

The touring caravans described in this brochure are designated by their model year. The model year runs from 1 September to 31 August and the despatch of 2001 models will have commenced on or after 1 September 2000.

Issued September 2000

Volvo cars courtesy of Volvo Cars UK Limited.

To reserve your place on a factory tour to see Swift products being produced in one of Europe's most sophisticated factories, simply call the number above and ask for 'Factory Tours'.